



**DERMSCAN ASIA Co., Ltd.**

3300/46-47 29th. Floor, Tower A  
Elephant Tower, Phaholyothin Road,  
Chomphon, Chatujak  
Bangkok 10900  
THAILAND

Tel. + 66 2 937 4377

[www.dermscanasia.com](http://www.dermscanasia.com)

**CHEERTSUME CO., LTD.**

24/6 Moo 4, Bang Khanun,  
Bang Kruai, Nonthaburi 11130  
THAILAND

Bangkok, January 16, 2026

**Study Report# DA25A635 (version 1.0)**

Related to quote# DA25A635

---

**EVALUATION OF THE ACUTE CUTANEOUS TOLERANCE OF A COSMETIC PRODUCT  
ON ADULT SUBJECTS  
SINGLE PATCH TEST**

---



**CMe CheerTsuMe - Ultra - Light Refreshing Facial Sunscreen SPF50+ PA++++  
(Batch number : 20/11/25) (Formula reference : UV0431.13)**

**CLINICAL INVESTIGATION CENTER:**

**Dermscan Project Manager**

**Pimrumpa VICHITNARK: [pvi@dermscanasia.com](mailto:pvi@dermscanasia.com)**

**Project Manager Assistant**

**Parisa SRIWONG: [psr@dermscanasia.com](mailto:psr@dermscanasia.com)**

**Investigator: Dermatologist**

**Dr. Sujittra SOMBUNTHAM**

*Dermscan Asia is certified ISO 9001 : 2015*

including 15 pages

---

## TABLE OF CONTENTS

---

SUMMARY OF THE STUDY REPORT# DA25A635 .....	3
1. EXPERIMENTAL PROTOCOL.....	4
1.1. Subjects .....	4
1.1.1. Characteristics of included subjects .....	4
1.1.2. Inclusion criteria .....	4
1.1.3. Non-inclusion criteria .....	4
1.2. Study product.....	4
1.3. Methodology.....	5
1.3.1. Instruments, dose, duration.....	5
1.3.2. Readings .....	5
1.3.3. Result interpretation .....	6
1.3.4. Bibliography:.....	6
2. RESULTS-CONCLUSION.....	7
3. ETHICAL CONSIDERATION .....	8
3.1. CONFIDENTIALITY AND GENERAL DATA PROTECTION REGULATION .....	8
APPENDIX I .....	9
APPENDIX II .....	13

**SUMMARY OF THE STUDY REPORT# DA25A635**

<b>EVALUATION OF THE ACUTE CUTANEOUS TOLERANCE OF A COSMETIC PRODUCT ON ADULT SUBJECTS: SINGLE PATCH TEST</b>					
<b>Objective</b>	To determine the acute irritating potential of a cosmetic product after single application under patch-test.				
<b>Methodology</b>	Descriptive, Monocentric and single blind study.				
<b>Kinetics</b>		<b>D0</b>	<b>D2</b>	<b>D2 t30min</b>	<b>D3 t24h</b>
	Collection of the subject's informed consent	•			
	Verification of inclusion and non-inclusion criteria	•			
	Patch-test : application	•			
	Patch-test : removal		•		
Clinical scoring			•	•	
<b>Dates</b>	<b>Product reception:</b>	<b>Study start:</b>		<b>Study end:</b>	
	November 27, 2025	December 15, 2025		December 18, 2025	
<b>Product</b>	<b>Reference:</b>	<b>Form:</b>		<b>Storage temperature:</b>	
	CMe CheerTsuMe - Ultra - Light Refreshing Facial Sunscreen SPF50+ PA++++ (Batch number : 20/11/25) (Formula reference : UV0431.13)	Opaque yellowish cream		Room temperature (Thailand climate)	
<b>Application</b>	<b>Zone:</b>	<b>Patch duration:</b>	<b>Concentration</b>	<b>Patch type:</b>	
	Scapular part of the back	48 hours	Pure	Occlusive	
<b>Studied Population</b>	Main inclusion criteria		Average age:	Number of subjects analysed:	
	Age $\geq$ 18 years old. Phototype I to IV.		49 $\pm$ 2 years (29 – 60)	22	
<b>Results</b>	<b>M.C.I.I. value : 0.07</b>				
	<b>Conclusion: Non irritating</b>				
<b>Investigator: Dermatologist</b>	<b>Name and quality:</b>	<b>Date:</b>	<b>Signature:</b>		
	Sujitra SOMBUNTHAM	January 26, 2026			

## 1. EXPERIMENTAL PROTOCOL

The study was conducted according to the current internal procedures.

### 1.1. Subjects

#### 1.1.1. Characteristics of included subjects

- 22 subjects with every skin type were included in the study:

Female subjects	18
Male subjects	4
Age (mean±SEM)	29 to 60 years old (49±2)

#### 1.1.2. Inclusion criteria

- subjects having given their informed, written consent,
- no previous experience of intolerance or allergic reactions to this kind of product,
- phototype I to IV.

#### 1.1.3. Non-inclusion criteria

- pregnant or breast-feeding women or women planning to be pregnant during the study,
- cutaneous pathology on the study zone (psoriasis, eczema, vitiligo, pityriasis versicolor, acne, etc...),
- subjects with medical treatments which may interfere with the acute skin tolerance evaluation, according to the investigator,
- exposure to the sun or to UV rays on the back during the previous month,
- subjects with very irritative skin,
- subjects presenting an important hairiness of the back, freckles, beauty spots or a tattoo on the back,
- subjects with a serious or progressive disease,
- excessive use of alcohol or tobacco.

### 1.2. Study product

The product supplied by the sponsor had the following specifications:

Product reference	Product aspect	Receipt date at Dermscan Asia
CMe CheerTsuMe - Ultra - Light Refreshing Facial Sunscreen SPF50+ PA++++ (Batch number : 20/11/25) (Formula reference : UV0431.13)	Opaque yellowish cream	November 27, 2025

### 1.3. Methodology

#### 1.3.1. Instruments, dose, duration

The studied product was applied under the following conditions:

Areas:	Scapular part of the back
Patch tests type:	Finn Chamber® 8mm (50mm <sup>2</sup> ) – occlusive
Dose* :	25 µl
Application conditions:	Pure
Application duration:	48 hours
Control:	Patch without product

\*Note: The quantity is determined according to the cupule capacity, indicated by the manufacturer

#### 1.3.2. Readings

The macroscopic skin examinations were carried out under the same conditions, specifically the lighting (standardized light), 30 minutes after removal of the patch tests and 24 hours later. If the subject had a cutaneous reaction >1, he had to return to the centre and readings were done until complete reversibility of the cutaneous reactions.

The grading of the possible irritation reaction, on each zone that received the studied product and on the control zone, was done according to the following scale:

Score	Quotation	CRITERIA:	
		ERYTHEMA «E»	OEDEMA «O»
0	Absent	no erythema	no oedema
0.5	Very slight	fairly detectable: discreet pinkness of one part of the tested area	palpable, barely visible
1	Slight	discreet pinkness of the complete tested area or rather visible on one part of the tested area	palpable, visible
2	Obvious	clearly distinguishable, dull red erythema covering the whole tested area	obvious oedema (thickness < 1 mm) with or without papule(s) or vesicle(s)
3	Important	deep dark or fiery bright red color covering all the tested area or moderate erythema diffusing outside the tested area	severe oedema (thickness ≥ 1 mm or diffusing outside the tested area) with or without vesicle(s) or blister(s)

A change in skin structure (dryness (D), roughness (R), thickness (T), reflectivity (Re)) that could be linked to the nature of the studied product or one of its components is clinically described and its intensity graded according to the following scale:

- 0.5 = doubtful
- 1 = slight
- 2 = obvious
- 3 = important.

### 1.3.3. Result interpretation

The analysis and the interpretation were carried out according to the results obtained in the experimental conditions. They are descriptive and completed by the calculation of the cumulative irritation index (C.I.I.) for each subject according to the formula:

$$C.I.I. = \frac{\sum \text{of the grade (erythema + oedema)}}{\text{Number of readings}}$$

This index is then divided by the number of subjects in order to obtain the Mean Cumulative Irritation Index (M.C.I.I.):

$$M.C.I.I. = \sum C.I.I. / \text{number of subjects}$$

The obtained index (maximum 6) allow to arbitrarily classify the studied product according to the following scale:

M.C.I.I.	Class
M.C.I.I. < 0.25	Non irritating (NI)
0.25 ≤ M.C.I.I. < 0.50	Very slightly irritating (VSI)
0.5 ≤ M.C.I.I. < 1	Slightly irritating (SI)
1 ≤ M.C.I.I. < 2	Moderately irritating (MI)
M.C.I.I. ≥ 2	Irritating (I)

Individual values and the product class were taken into account to write a suitable conclusion under the study conditions.

### 1.3.4. Bibliography:

1. COLIPA "Cosmetic product test guidelines for the assessment of human skin compatibility" 2<sup>nd</sup> edition – August 1997.
2. Patch-testing with the patient's own products - Peter J. FROSCHE, Johannes GEIER, Wolfgang UTER, An GOOSENS - CONTACT DERMATITIS 4TH EDITION – 2006
3. Comparison of the cumulative irritation potential of Adapalene gel and cream with that of Erythromycin/Tretinoin solution and gel and Erythromycin/Tretinoin gel - Catherine QUEILLE-ROUSSEL, Michel PONCET, Stephane MESAROS, Alan CLUCAS, Michael BAKER and Andrew-Marc SOLOFF - CLINICAL THERAPEUTICS / VOL.23 N°2, 2001

## 2. RESULTS-CONCLUSION

The individual reading results at each experimental time are presented in the APPENDIX I.

The readings at 30 minutes and 24 hours after patch-tests removal gave of the following M.C.I.I value:

Product reference	Conditions	Patch duration	M.C.I.I.	Conclusion
CMe CheerTsuMe - Ultra - Light Refreshing Facial Sunscreen SPF50+ PA++++ (Batch number : 20/11/25) (Formula reference : UV0431.13)	- Concentration : Pure  - Patch tests type: Occlusive	48 hours	0.07	Non irritating

### **3. ETHICAL CONSIDERATION**

The study had to be risks were determined to be minimal for the safety of the test subjects.

So, according to the procedure of the investigating centre, the protocol, the information sheet and informed consent and the information concerning the investigational product (particularly referring to its safety) had to be submitted to the opinion of an Institutional Ethics Committee.

The Institutional Ethics Committee gave the approval on expedited approval certificate no. EXPA#4043

The study began after the approval of the Institutional Ethics Committee.

#### **3.1. CONFIDENTIALITY AND GENERAL DATA PROTECTION REGULATION**

In this study, Dermscan Asia processes personal data of subjects on behalf of the Sponsor, in accordance with the rules on the protection of personal data and in particular, Thailand's Personal Data Protection Act B.E. 2562 (2019) ("PDPA") comes into full force on 1 June 2022, on the protection of natural persons regarding the processing of personal data.

A key element of the PDPA are the rights protecting data subjects, such as Section 19 which grants data subjects the right to withdraw consent at any time, Section 32 the right to object to collection, use or disclosure of personal data and Section 73 the right to file a complaint in case of violation, among others.

For this purpose, Dermscan Asia limits the collection and use of personal data to that which is needed for analysis and control purposes, by ensuring their security and integrity and by guaranteeing their confidentiality.

Dermscan Asia makes sure beforehand and throughout the duration of the data-processing:

of the compliance with the obligations of the applicable data protection law,

to inform subjects of their personal data-processing after obtaining their consent,

to implement and maintain appropriate technical and organizational measures.

An identification code is attributed to each subject for the purpose to keep his/her identity confidential. This code consists of the first two letters/first letter of the subject's name and the first letter of his/her first name.

The concerned subject must be informed of the identity and the contact details of the Controller and, where applicable, of the controller's representative. However, considering the objective of the study, to avoid any bias in the investigational product evaluation, the identity of the Sponsor is not revealed to the subject participating.

**APPENDIX I**

**SUBJECTS CHARACTERISTICS**

**TABLES OF THE READINGS**

**FORMULA**

**SUBJECTS CHARACTERISTICS**

Subject#	Last name	First name	Age	Sex	Phototype	Inclusion date	End date
1	SO	A	43	F	IV	December 15, 2025	December 18, 2025
2	LA	P	39	F	IV	December 15, 2025	December 18, 2025
3	CH	S	59	M	IV	December 15, 2025	December 18, 2025
4	KA	H	50	F	IV	December 15, 2025	December 18, 2025
5	SR	R	52	F	IV	December 15, 2025	December 18, 2025
6	SR	B	59	F	IV	December 15, 2025	December 18, 2025
7	TA	P	54	F	IV	December 15, 2025	December 18, 2025
8	PA	H	55	M	IV	December 15, 2025	December 18, 2025
9	PH	S	50	F	III	December 15, 2025	December 18, 2025
10	SR	S	57	F	IV	December 15, 2025	December 18, 2025
11	PI	M	38	F	IV	December 15, 2025	December 18, 2025
12	BO	P	53	F	IV	December 15, 2025	December 18, 2025
13	AR	W	48	F	IV	December 15, 2025	December 18, 2025
14	PA	P	29	F	IV	December 15, 2025	December 18, 2025
15	AN	C	55	M	IV	December 15, 2025	December 18, 2025
16	SU	P	45	F	III	December 15, 2025	December 18, 2025
17	SU	S	45	F	III	December 15, 2025	December 18, 2025
18	CH	C	60	F	III	December 15, 2025	December 18, 2025
19	CH	J	47	F	III	December 15, 2025	December 18, 2025
20	RU	S	48	M	IV	December 15, 2025	December 18, 2025
21	PH	S	53	F	IV	December 15, 2025	December 18, 2025
22	RU	P	45	F	III	December 15, 2025	December 18, 2025
<b>Mean</b>			<b>49</b>	<b>F</b>	18	<b>I</b>	0
<b>Minimum</b>			29	<b>M</b>	4	<b>II</b>	0
<b>Maximum</b>			60			<b>III</b>	6
<b>SEM</b>			<b>2</b>			<b>IV</b>	16
<b>95% CI</b>			3				

F = Female

M = Male

0=: values not included in the analysis

## TABLE OF READINGS

Subject	Reading in 30 minutes after patch removal					Reading in 24 hours after patch removal					C.I.I.
	Control		Product		Change in skin structure	Control		Product		Change in skin structure	
	E	O	E	O		E	O	E	O		
1	0	0	0	0	no change	0	0	0	0	no change	0.00
2	0	0	0	0	no change	0	0	0	0	no change	0.00
3	0	0	0.5	0	no change	0	0	0.5	0	no change	0.50
4	0	0	0.5	0	no change	0	0	0	0	no change	0.25
5	0	0	0	0	no change	0	0	0	0	no change	0.00
6	0	0	0	0	no change	0	0	0	0	no change	0.00
7	0	0	0	0	no change	0	0	0	0	no change	0.00
8	0	0	0	0	no change	0	0	0	0	no change	0.00
9	0	0	0	0	no change	0	0	0	0	no change	0.00
10	0	0	0	0	no change	0	0	0	0	no change	0.00
11	0	0	0.5	0	no change	0	0	0.5	0	no change	0.50
12	0	0	0	0	no change	0	0	0	0	no change	0.00
13	0	0	0	0	no change	0	0	0	0	no change	0.00
14	0	0	0	0	no change	0	0	0	0	no change	0.00
15	0	0	0	0	no change	0	0	0	0	no change	0.00
16	0	0	0	0	no change	0	0	0	0	no change	0.00
17	0	0	0	0	no change	0	0	0	0	no change	0.00
18	0	0	0	0	no change	0	0	0	0	no change	0.00
19	0	0	0	0	no change	0	0	0	0	no change	0.00
20	0	0	0	0	no change	0	0	0	0	no change	0.00
21	0	0	0.5	0	no change	0	0	0	0	no change	0.25
22	0	0	0	0	no change	0	0	0	0	no change	0.00
<b>M.C.I.I.</b>											<b>0.07</b>

Product = "CMe CheerTsuMe - Ultra - Light Refreshing Facial Sunscreen SPF50+ PA++++ (Batch number : 20/11/25) (Formula reference : UV0431.13)"

E = Erythema

O = Oedema

0\*: values not included in data analysis

FORMULA

PARTIE VIII – FORMULE / FORMULA						
Formule quantitative à fournir avant le début de(s) l'évaluation(s) : MERCIE DE NOUS COMPLETER LE TABLEAU SUIVANT						
En précisant bien chaque information demandée (Noms chimiques + INCI + n° CAS + fonctions prévues des ingrédients) et en donnant le pourcentage exacte de chaque ingrédient pour un rapport total à 100% (ne pas noter de QSP)						
Quantitative formula to supply before the beginning of the evaluation(s): THANKS TO FILL THE FOLLOWING TABLE						
Please specify each requested information (Chemical names + INCI + CAS# + functions of each ingredient reported to 100%)						
type de produit : use of product						
références						
Merci de ne saisir qu'un ingrédient par ligne / Please enter only one ingredient by line						
NUMERO CAS	NOM INCI	CONCENTRATION	FONCTION	NOM CHIMIQUE	n° EINECS/ELINGS (Ec No.)	NOM COMMERCIAL
CAS NUMBER	INCI NAME	CONCENTRATION	FUNCTION	CHEMICAL NAME	n° EINECS/ELINGS (Ec No.)	TRADE NAME
7732-18-5	Aqua	36.36	SOLVENT		231-791-2	DIW
139-33-3	Disodium EDTA	0.1	CHELATING		205-358-3	ZNA-ED
56-81-5	Glycerine	0.4985	HUMECTANT		200-289-5	GL
7732-18-5	aqua	0.0015	SOLVENT		231-791-2	GL
	Ammonium Acryloyldimethyltaurate/VP Copolymer	0.25	VISCOSITY CONTROLLING			AVC
111286-86-3	Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer	0.2125	VISCOSITY CONTROLLING			SEPI-10
	Polysorbate	0.01375	SURFACTANT - EMULSIFYING			SEPI-10
71902-01-7	Sorbitan isostearate	0.01375	SURFACTANT - EMULSIFYING		276-171-2	SEPI-10
7732-18-5	Water	0.01	SOLVENT		231-791-2	SEPI-10
7732-18-5	Aqua	1	SOLVENT		231-791-2	DIW
13463-67-7	Titanium dioxide	0.08	COLORANT		236-675-5	EURO TI
12694-22-3	Polyglyceryl-2 Stearate	0.675	SURFACTANT - EMULSIFYING		235-777-7	Poly 2w
31566-31-1	Glyceryl Stearate	0.45	SURFACTANT - EMULSIFYING		250-705-4/286-490-9	Poly 2w
112-92-5	Stearyl Alcohol	0.375	VISCOSITY CONTROLLING		204-017-6	Poly 2w
19035-79-1	Potassium Cetyl Phosphate	1.5	SURFACTANT - EMULSIFYING		242-768-1	Romol AFSK
	Polyglyceryl-3 methylglucose distearate	0.5	SURFACTANT - EMULSIFYING			TEGO CARE 450
36653-82-4	Cetyl Alcohol	0.525	VISCOSITY CONTROLLING		253-149-0	EMUL DEL
31566-31-1	Glyceryl Stearate	0.525	SURFACTANT - EMULSIFYING		250-705-4	EMUL DEL
9004-99-3	PEG-75 Stearate	0.15	SURFACTANT - CLEANSING			EMUL DEL
9004-95-9	Ceteth-20	0.15	SURFACTANT - EMULSIFYING			EMUL DEL
9005-00-9	Steareth-20	0.15	SURFACTANT - EMULSIFYING			EMUL DEL
	Dibutyl Adipate	5	SKIN CONDITIONING - EMOLLIENT			Cetiol B
	Diethylamino Hydroxybenzoyl Hexyl Benzoate	7	UV FILTER			L'vinul A+
	Ethylhexyl Triazone	3	UV FILTER			Parsol EHT
118-60-5	Ethylhexyl salicylate	4	UV FILTER		204-263-4	Parsol EHS
70356-09-1	Butyl Methoxydibenzoylmethane	3	UV FILTER		274-581-6	EULEX 9020
59219-71-5	ISONONYL ISONONANOATE	5	SKIN CONDITIONING - EMOLLIENT		261-685-2	KAK 99
629-82-3	DICAPRYLYL ETHER	5	SKIN CONDITIONING - EMOLLIENT		211-112-6	CET OE
68411-27-8	C12-15 alkyl benzoate	4	SKIN CONDITIONING - EMOLLIENT		270-112-4	DUB B 1215
68131-39-5	C12-15 Pareth-12	3.5	SKIN CONDITIONING - EMOLLIENT			MULSIFAN RT 203/80
9003-04-7						
	Sodium Polyacrylate	0.18	VISCOSITY CONTROLLING			AQG 45
64742-47-8	C13-14 Isoparaffin	0.1	SKIN CONDITIONING - EMOLLIENT			AQG 45
3055-97-8	Laureth-7	0.016	SKIN CONDITIONING - EMOLLIENT		221-283-9	AQG 45
7732-18-5	Water	0.104	SOLVENT		231-791-2	AQG 45
7732-18-5	Aqua	4	SOLVENT		231-791-2	DIW
	Methylene Bis-Benzotriazolyl Tetramethylbutylphenol (nano)	3	UV FILTER			Tinosorb M
68515-73-1	Decyl Glucoside	0.48	EMULSION STABILISING		259-218-1	Tinosorb M
57-56-6	Propylene Glycol	0.024	SKIN CONDITIONING - EMOLLIENT		200-338-0	Tinosorb M
	Xanthan Gum	0.018	VISCOSITY CONTROLLING			Tinosorb M
	Aqua / Water	2.478	SOLVENT		231-791-2	Tinosorb M
84696-19-5	Hamamelis virginiana leaf water	0.0994	ACTIVE		283-637-9	Witch Hazel ORG
24634-61-5	Potassium sorbate	0.0002	PRESERVATIVE		246-376-1	Witch Hazel ORG
532-32-1	Sodium benzoate	0.0002	PRESERVATIVE		208-534-8	Witch Hazel ORG
77-92-9 / 5949-29-1	Citric acid	0.0002	BUFFERING		201-069-1	Witch Hazel ORG
85507-69-3 / 94349-62-9	Aloe Barbadensis Leaf Extract	0.0994	ACTIVE		287-390-8 / 305-181-2	Aloe W. ORG
77-92-9 / 5949-29-1	Citric acid	0.0003	BUFFERING		201-069-1	Aloe W. ORG
532-32-1	Sodium Benzoate	0.0003	PRESERVATIVE		208-534-8	Aloe W. ORG
7695-91-2	DL-ALPHA-TOCOPHERYL ACETATE	0.01	ANTIOXIDANT		231-710-0	VE ACET
57-56-6	Propylene Glycol	0.079	HUMECTANT		200-338-0	Actiphyte oat meal ph
7732-18-5	Water	0.079	SOLVENT		231-791-2	Actiphyte oat meal ph
	Avena Sativa (Oat) Meal Extract	0.04	ACTIVE			Actiphyte oat meal ph
	Phenoxyethanol	0.002	PRESERVATIVE			Actiphyte oat meal ph
	zinc chloipide	0.1	ANTIMICROBIAL			Zinc Sebum
225234-03-7 / 90106-68-6	Hippophae Rhamnoides Oil	0.05	SKIN CONDITIONING - EMOLLIENT		- / 290-292-8	sea buckton
	PEG-15/PPG-70 Glyceryl Ether/IPDI/DMPA Crosspolymer	2	ANTICAKING			Beau S
7631-86-9	Silica	3	ANTICAKING		231-545-4	H-51
100-51-6	benzyl alcohol	0.824	PRESERVATIVE		202-859-9	EUXYL 900
70445-33-9	Ethylhexylglycerin	0.175	PRESERVATIVE		408-080-2	EUXYL 900
10191-41-0	Tocopherol	0.001	ANTIOXIDANT		233-466-0	EUXYL 900

**APPENDIX II**

**AUTHENTICATION PAGE**

**QUALITY ASSURANCE  
CERTIFICATE OF CONFORMITY**

**AUTHENTICATION PAGE**

I am aware that the study number DA25A635

has been conducted according to the STUDY PROTOCOL

Dr. Sujittra SOMBUNTHAM Dermatologist	Date	January 26, 2026	Signature
--	------	------------------	-----------

Laddawan HENGSAEAE Technician	Date	January 26, 2026	Signature
----------------------------------	------	------------------	-----------

Any modifications are the sole responsibility of the author of the modification, whether he/she is acting for the Sponsor or independently.

The on-line publishing, on the Internet, of this study protocol/report with the names and signatures is strictly prohibited.

**QUALITY ASSURANCE  
CERTIFICATE OF CONFORMITY****QUALITY ASSURANCE**

The described study has been conducted in the spirit of the Good Clinical Practice defined by the ICH Topic E6 "Note for Guidance and good clinical practice" (CPMP/ICH/135/95), the Helsinki Declaration (1964, WMA) and its successive updates.

The study has been conducted according to Standard Operating Procedures and to the study protocol defined with the sponsor. All the case report form and data were checked.

Controls on data veracity and conformity with the protocol have been performed and confirmed by persons participating in the study (APPENDIX II).

**Certificate of conformity**

I am aware that the study DA25A635 has been conducted according to the "**Quality Assurance**" described before.

**There was no event which may have affected the quality or integrity of the data.**

Atippaporn BOONVANICH  
Quality Assurance Manager

Date January 26, 2026

Signature